

# SHOWER AND SOCKET SET




## Installation & Aftercare Instructions

Taps shown are for illustrative purposes only and may not match the specific product you have purchased. Please retain these instructions for future reference.







### BEFORE YOU START

Note: Prior to instalation flush out the pipe work to remove debns . it is recommended that this product is installed by a qualified plumber.


### PARTS LIST




# DIMENSIONS




# INSTALL




1. Drill 4 holes in the wall. Put the fixing glue(H) into the holes, and finally install the fixing base(A) to the wall using cross self-tapping(H) screws.




2. Install the decorative panel(B) onto the mounting base, and finally install the socket(C).




3. Tighten the screws at the bottom of the socket.



4. First insert the gasket(G) into the elbow(D), then install the elbow at the water outlet, and finally tighten the elbow.



5. Screw one end of the hose(F) tightly onto the elbow.



6. Screw the other end of the hose(F) onto the handheld showerhead(E).

## AFTERCARE INSTRUCTIONS

Whilst this item has a high-quality durable finish, it should nevertheless be treated with care. Surfaces should be cleaned using only a soft damp cloth and clean water & dried using a soft cotton cloth. Do not use an abrasive material such as a brush or scouring pad to clean the surface. The use of abrasive cleaners, alcohol disinfectants will alter the surface finish and void the warranty.

Do not allow products such as toothpaste, shaving cream, drain and glass cleaners to remain on the surface. Prolonged contact with these products will alter surface finishes and void the warranty.

## GUARANTEE

We have complete confidence in this product and as such it is offered with a 15-year guarantee against defects in manufacture. This product must be fitted by a competent installer. If in doubt seek advice from a qualified professional.

The guarantee requires that this product be used in the manner for which it was intended and that it is installed & maintained in accordance with the fitting instructions and local water bylaws. The guarantee is invalidated should the product be damaged by water borne debris. Make sure that supply pipes are clear of any debris prior to installation, this is particularly important on new plumbing installations.

In the unlikely event that this product should fail during the guarantee period we will either replace the faulty part or the complete unit as appropriate. This guarantee covers damage against reasonable wear and tear in use only. It does not cover damage incurred during installation, misuse or inappropriate maintenance.

We recommend that the cartridge is regularly cleaned in hard water areas to prevent lime scale build-up. Replacement cartridges are available to purchase by contacting the customer service team using the contact details below. Failure to follow the terms outlined above will invalidate this guarantee. Proof of purchase will be required to validate any guarantee claims.

Please visit our website [www.jtpuk.co.uk](http://www.jtpuk.co.uk) for a full breakdown of the guarantees on separate items within our products.